



Date : 2017-06-20

## CERTIFICATE OF COMPLIANCE

This certificate of compliance validates the following			
TEST REPORT NUMBER 'Assessment Reports' are not acceptable	20151422/SSG 66	CERTIFICATE NUMBER	SP 255/15
DATE OF ISSUE	2016-01-22	DATE OF ISSUE	2016-02-03
DATE OF EXPIRY	---	DATE OF EXPIRY	---
Manufacturer details			
NAME OF FACTORY/ MANUFACTURER	POWER SAINTS LTD.	NAME OF THE BRAND	FIRE BABY
FACTORY ADDRESS / REGION (STREET / TOWN / CITY / COUNTRY )	Tianhua Industrial District, Langxia Street Scene, Yuyao City, Zhejiang, China	MODEL / NO	PSMFZ6/2
WEBSITE	<a href="http://powersaints.en.alibaba.com/">http://powersaints.en.alibaba.com/</a>	LOGO ON THE PRODUCT	
TEL	+86 (0)574-62181918	EMAIL	<a href="mailto:jose@powersaints.com">jose@powersaints.com</a> <a href="mailto:linda@saintsea.com">linda@saintsea.com</a>



Product Details From Test Report		Reference Test Report page NO
<b>DESCRIPTION OF THE PRODUCT</b> (TECHNICAL DETAILS FROM TEST REPORT, SUCH AS ACTUAL FIRE RATINGS/DIMENSIONS/THICKNESS/ SENSITIVITY ETC)	Portable fire extinguisher With 6L foam fire extinguisher Fire rating 34A 183B 40F	1,2
<b>TEST STANDARD</b> (SUCH AS ASTM/BS EN/ DN ETC)	EN3-7:2004-01+A1:2007 in conjunction with the requirements of EN3-10:2009	1
<b>TEST DESCRIPTION</b>	1.Performance characteristics of Fire extinguisher  2.Conformity of submitted samples with all applicable clauses of EN3	2  4
<b>SPECIFICATION OF TEST SPECIMEN</b>	Fire extinguisher type: portable stored pressure type Nominal charge: 6L foam Propellant: N2 Provided quantity: 20 Date of submission: 2015-09-18	2
<b>TEST RESULT</b> (SUCH AS PASSED CRITERIA___/ COMPLIED TO___/ DURATION___/OBSERVATION___/ETC)	Performance characteristics of the fire extinguisher Class A fire rating achieved 34A 183B 40F PASS Operating temperature range 0°C to 60°C PASS Conformity of submitted samples with all applicable clauses of EN3-7 PASS	2  4-35
<b>PRODUCT APPLICATION GUIDELINE (END USE)</b> (CLEARLY STATE THE END USE WITH SPECIFIC APPLICATION, SUCH AS EXACT FIRE RATING/TO BE INSTALLED IN___/TO BE INSTALLED AT___/TO BE CONNECTED WITH___/TO BE INSTALLED WITH___ ETC ALONG WITH ANY WARNINGS SUCH AS NOT TO BE USED IN___/NOT TO BE INSTALLED AT___/ NOT TO BE INSTALLED WITH___ ETC.	End use: Fire protection in the private, public and industrial sectors Operating instructions: Pull out safety pin Direct the nozzle to the seat of fire Squeeze the operating lever Use only on fires of fire class A B F Caution in electric installations UP to 1000V only, Minimum distance 1 m	2  Annex2



Laboratory and Certification body details			
NAME OF CERTIFICATION BODY	MPA Dresden GmbH	NAME OF TEST FACILITY	MPA Dresden GmbH
CERTIFICATION BODY ADDRESS / REGION <small>(STREET / TOWN / CITY / COUNTRY)</small>	Fuchsmühlenweg 6F D-09599 Freiberg Germany	TEST FACILITY ADDRESS / REGION <small>(STREET / TOWN / CITY / COUNTRY)</small>	Fuchsmühlenweg 6F D-09599 Freiberg Germany
WEBSITE	<a href="http://www.mpa-dresden.de">http://www.mpa-dresden.de</a>	WEBSITE	<a href="http://www.mpa-dresden.de">http://www.mpa-dresden.de</a>
TEL	+ 49(0)3731 20 393-0	TEL	+ 49(0)3731 20 393-0
EMAIL	info@mpa-dresden.de	EMAIL	info@mpa-dresden.de
ACCREDITED BY <small>(NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE CERTIFICATION BODY, ALONG WITH WEBSITE)</small>	DAkKS Deutsche Akkreditierungsstelle GmbH <a href="http://www.dakks.de">http://www.dakks.de</a>	ACCREDITED BY <small>(NAME OF ACCREDITATION BODY WHICH ISSUED ACCREDITATION TO THE LABORATORY, ALONG WITH WEBSITE)</small>	DAkKS Deutsche Akkreditierungsstelle GmbH <a href="http://www.dakks.de">http://www.dakks.de</a>
AS PER <small>(STANDARD TO WHICH THE CERTIFICATION BODY IS ACCREDITED TO)</small>	DIN EN ISO/IEC 17065	AS PER	a) DIN EN ISO/IEC 17025 b) DIN EN ISO/IEC 17020
VALIDITY	2019-09-15	VALIDITY	a) 2019-08-10 b) 2018-09-12
REFERENCE NUMBER:	D-ZE-17819-01-00	REFERENCE NUMBER:	a) D-PL-17819-01-00 b) D-IS-17819-01-00
CERTIFICATION MARK			

(ENDORSEMENT) TO BE SIGNED BY MANUFACTURER			
NAME OF MANUFACTURER'S SIGNATORY	GONG BIAO	SIGNATURE	
EMAIL / TEL	<a href="mailto:gm@powersaints.com">gm@powersaints.com</a> 0086-0571-86811600	FACTORY OFFICIAL SEAL	
NOTES: I Undertake that all data and information provided are genuine and accurate			

(ENDORSEMENT) TO BE SIGNED BY CERTIFICATION BODY			
NAME OF CERTIFICATION BODY SIGNATORY	Grad. Eng. Bernd Ruhle	SIGNATURE	
EMAIL / TEL	b.ruhle@mpa-dresden.de + 49(0)3731 20 393-0	CERTIFICATION BODY OFFICIAL SEAL	
NOTES: I Undertake that all data and information provided are genuine and accurate			

**ATTACHMENTS:**

- COPY OF 'CERTIFICATE OF COMPLIANCE' ISSUED BY CERTIFICATION BODY (OLD OR NEW)