

Name of schedule	Certification of gas safety hose lines	
Type of products	Corrugated, metallic gas safety hose lines for the connection of household gas appliances with requirements on the fire behaviour	
Applied Standards and specifications	Directive (EU) no. 305/2011 of the European Parliament and the European Council dated 2011-03-09 (Construction Products Regulation)	
	Decision of the Commission 1999/472/EU	
	Product Standards	EN 14800:2007
	Test and classification Standards	EN 13501-1:2006 EN ISO 11925-2:2010 EN 13823:2010+A1:2014 (Test Standards dependant on classification)
Application	<p>To the MPA Dresden GmbH certification centre                  Documentation to be submitted:                  Full information on the applicant, manufacturer and all production facilities, explicit name of the product                  Complete technical documentation on the product (intended use, technical datasheets, construction, specification of raw materials and component parts used, test plan                  Manufacturer's declaration on System 1 categorisation)</p>	
Contractual conditions	<p>With initial certification the conclusion of a certification contract and recognition of the MPA Dresden GmbH rules of procedure for certification                  Where the manufacturer and production facility are different companies, contractual agreements are to be concluded between the two and these submitted to the certification centre</p>	
Sampling	<p>By notified centre for type testing and tests in the case of alterations to the product or manufacturing process, the sampling procedures in accordance with the Standard specifications are to be used                  A subsequent delivery by the manufacturer is permissible with adequate labelling by the sampler</p>	
Test	<p>Type test and issuance of a classification report by the MPA Dresden GmbH notified test centre based on the above stated Standards and specifications.</p>	
Initial inspection	<p>Inspection of the works and works in-house production control by the competent MPA Dresden GmbH personnel with the aid of product-specific checklists and the compilation of an inspection report.                   An EN ISO 9001 certification will be taken into account within the scope of the inspection</p>	

Certificates	Attestation of constancy of performance in System 1
	Validity: indefinite
	A list of the certificates will be published on the MPA Dresden GmbH website with the following information: Certificate owner, product & type designation, system, certificate number, date
Mark of conformity	No conformity mark The certificate number consists of: Number of the notified centre / reference to BauPVO / consecutive number See rules of procedure for certification for regulations on the use of the certificate number.
Perpetuation	Inspection Inspection of the works and works in-house production control in accordance with Standard specifications by the competent MPA Dresden GmbH personnel with the aid of product-specific checklists and the compilation of an inspection report. Inspection frequency: once yearly
	Examination and evaluation of the results of the inspections
	Alterations to the product: Where alterations are made to the product, an amendment to the attestation of constancy of performance can be issued upon application by the manufacturer. The necessity and scope of additional tests and inspection is decided by the certification centre.