

Product certification schedule**PZP 012 CWD**
Certification of wall and ceiling cladding

Name of schedule	Certification of wall and ceiling cladding	
Type of products	<ul style="list-style-type: none"> – Compact boards / panels for wall and ceiling claddings, HPL multi-layer composite boards / panels – Ceiling substructures and covering layer components All products with requirements on the fire behaviour	
Applied Standards and Specifications	Directive (EU) no. 305/2011 of the European Parliament and the European Council dated 2011-03-09 (Construction Products Regulation)	
	Decision of the Commission 98/437/EU	
	Product standards	EN 438-7: 2005
		EN 13964: 2014
		EN 14509: 2013
		EN 14716: 2004
EN 15102: 2007 + A1: 2011		
Test and classification Standards	EN 13501-1 EN 13823 EN ISO 1716 EN ISO 1182 EN ISO 11925-2 (Test Standards dependant on classification)	
Application	To the MPA Dresden GmbH certification centre Documentation to be submitted: Full information on the applicant, manufacturer and all production facilities, explicit name of the product. Complete technical documentation on the product (intended use, technical datasheets, construction, specification of raw materials and component parts used including description of production steps which lead to an improvement in fire classification, specification of product families, test plan Manufacturer's declaration on System 1 categorisation)	
Contractual conditions	With initial certification the conclusion of a certification contract and recognition of the MPA Dresden GmbH rules of procedure for certification Where the manufacturer and production facility are different companies, contractual agreements are to be concluded between the two and these submitted to the certification centre	
Sampling	By notified centre for type testing and tests in the case of alterations to the product or manufacturing process, the sampling procedures in accordance with the Standard specifications are to be used A subsequent delivery by the manufacturer is permissible with adequate labelling by the sampler	
Test	Type test and issuance of a classification report by the MPA Dresden GmbH notified test centre based on the above stated Standards and specifications.	

Product certification schedule

PZP 012 CWD
Certification of wall and ceiling cladding



Initial inspection	<p>Inspection of the works and works in-house production control by the competent MPA Dresden personnel with the aid of product-specific checklists and the compilation of an inspection report.</p> <p>An EN ISO 9001 certification will be taken into account within the scope of the inspection.</p>
Certificates	Attestation of constancy of performance in System 1
	Validity: indefinite
	<p>A list of the certificates will be published on the MPA Dresden GmbH website with the following information:</p> <p>Certificate owner, product & type designation, system, certificate number, date</p>
Mark of conformity	<p>No conformity mark</p> <p>The certificate number consists of:</p> <p>Number of the notified centre / reference to BauPVO / consecutive number</p> <p>See rules of procedure for certification for regulations on the use of the certificate number.</p>
Perpetuation	<p>Inspection</p> <p>Inspection of the works and works in-house production control in accordance with Standards specifications by the competent MPA Dresden GmbH personnel with the aid of product-specific checklists and the compilation of an inspection report.</p>
	Inspection frequency: once a year
	Examination and evaluation of the results of the inspections
	<p>Alterations to the product:</p> <p>Where alterations are made to the product, an amendment to the attestation of constancy of performance can be issued upon application by the manufacturer.</p> <p>The necessity and scope of additional tests and inspection is decided by the certification centre.</p>